



DESCRIPTION:

7KH -67) %: WMLWDEOVIRU JHQHUDO SXUSRVH
\$& VZLWFKLQJ ,W FDQ EH XVHG DV DQ 21 2)) IXQFWLRQ
LQ DSSOLFDWLRQV VXFHODWLRQWILQGXFWRQ PRWRU
VWDUWLQJ FLUFHQWVURORSHKUDWLRQ LQ OLJKW
GLPPHUV PRWRU VSHHG FRQWUROOHUV -67) %:
VQXEEHUOHVV WOODFHLFRPVSIOFLHG IRU XVH RQ
LQGXFWLYH ORDGVW%UXVQCSJODQWLF SDFNDJH
-67) %: SURYLGHV D UDWHG LQVXODWLRQ YROWDJH RI
9506 FRPSO\LQJ ZLWK 8/ VWDQGDUGV)LOH UHI (




ORDERING INFORMATION

- LH-LH 0LFURHOHF		67)	
WURQLFV &R		/WG			
7ULDFV					
		,7 506 \$			
) 72) , QV			
				% : *,7 0 P\$	
				950 9501 9	

% :

MARKING






0D[LPXP SRZHU GLVVLSDWLRQ YHUVXV RQ6 VWDWH FXUHQW YH
RQ VWDWH FXUHQW WHPHUDWXUH



PACKAGE MECHANICAL DATA





,QIRUPDWLRQ IXUQXFKHQW ILQ WKOLHGMB DQGEUHDFLDXLODH +
-LDQJVVX -LH-LH 0L&RRHOWHG WDVROXLFVVOQLRV UHRUS RQKVL ERQVH
RI XVH ZLWKRXW FRQVLGHUDWLRQ IRG LWFKQLQ LRPDPDLRQR Q
LQ WKLW GRFXPHQW LV VXEMHFW WR FKKDQJZKZHQKQXWJQR
VLJQHG -LDQJVSOLHVLZILFKPWKH DJUHHPHQW
3URGXFWV DQG LQIRUPDWLRQ SURYLGHG JHQHWLVRIGSDXW
-LDQJVVX -LH-LH DVVXPEVQW\UIHRUSDQVI LQWKLQJHULHQWVRR